

**Product: LUBRAX HYDRA XP 22** 

SDS ID: 1000839 Revision date: 27/05/2025

## **SECTION 1: Identification**

#### 1.1. GHS Product identifier

Product form : Mixture

Product name : LUBRAX HYDRA XP 22

Product code : 1000839

Product group : Produtos comerciais

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Lubricant oil.

1.4. Supplier's details

Name of company : Vibra Energia S.A.

Address : Rua Correia Vasques, 250

Rio de Janeiro

Brasil 20.211-140

SAC : 4090 1337 ou 0800 770 1337 (capitals, metropolitan regions or other

regions)

Emergency telephone number : 0800 024 44 33

1.5. Emergency phone number

Emergency number : 0800 024 44 33 CAE (Emergency Support Center), for leaks, spills and

other accidents that require emergency support.

## **SECTION 2: Hazard identification**

#### 2.1. Classification of the substance or mixture

Classification according to GHS BR (ABNT NBR 14725: 2023)

Aspiration hazard, Category 1



**Product: LUBRAX HYDRA XP 22** 

SDS ID: 1000839 Revision date: 27/05/2025

### 2.2. GHS Label elements, including precautionary statements

**GHS BR labelling** 

Hazard pictograms (GHS BR)

Signal word (GHS BR) : Danger

Hazard statements (GHS BR) : H304 - May be fatal if swallowed and enters airways

Precautionary statements (GHS BR)

Response : P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or a

doctor.

P331 - Do NOT induce vomiting.

Storage : P405 - Store locked up.

Disposal : P501 - Dispose of contents and/or container to hazardous or special

waste collection point, in accordance with local, regional, national and

international regulations.

#### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	GHS Product identifier	%	Classification according to GHS BR (ABNT NBR 14725: 2023)
Lubricating base oil	-	20 - 30	Asp. Tox. 1, H304
2,6-di-tert-butylphenol	CAS-No.: 128-39-2	< 0,2	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Comments : The mineral oils present in the product are highly refined and contain

<3% DMSO extract (IP 346).

The mineral oils present in the product are absent of Benzene, Toluene

and Xylene.



Product: LUBRAX HYDRA XP 22

SDS ID: 1000839 Revision date: 27/05/2025

## **SECTION 4: First-aid measures**

#### 4.1. Description of necessary first-aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a

position comfortable for breathing. Call a POISON CENTER/doctor if you

feel unwell.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing,

and wash immediately with plenty of water.

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice.

First-aid measures after ingestion : Do not induce vomiting/risk of damage to lungs exceeds poisoning risk.

#### 4.2. Most important symptoms and effects, acute and delayed

Symptoms/effects : May be fatal if swallowed and enters airways.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known

to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. dry chemical powder, foam for use in hydrocarbons,

carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard.

## 5.3. Special protective actions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Do not

enter fire area without proper protective equipment, including

respiratory protection.

Protection during firefighting : Wear recommended personal protective equipment.



**Product: LUBRAX HYDRA XP 22** 

SDS ID: 1000839 Revision date: 27/05/2025

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or

public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate area. Only qualified personnel equipped with suitable

protective equipment may intervene. Notify fire brigade and

environmental authorities.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes

or absorbents to prevent migration and entry into sewers or streams.

Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated

conditions of normal use.

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Keep only in original

container. Do not handle until all safety precautions have been read

and understood.

Hygiene measures : Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store locked up.

Storage conditions : Keep cool. Protect from sunlight.

Packaging materials : Store always product in container of same material as original

container.



**Product: LUBRAX HYDRA XP 22** 

SDS ID: 1000839 Revision date: 27/05/2025

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Exposure limit for mists/aerosols that may form while using this product:

Name	Mineral oil, excluding working fluids - poorly and mildy refined
TWA - (ACGIH, 2024)	5 ppm

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

### 8.3. Individual protection measures

### Personal protective equipment:

Wear recommended personal protective equipment.

Hand	prote	ction:

Protective gloves

### Eye protection:

Wear security glasses which protect from splashes

### Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

No respiratory protection needed under normal use conditions

### Personal protective equipment symbol(s):









**Product: LUBRAX HYDRA XP 22** 

SDS ID: 1000839 Revision date: 27/05/2025

: Not available

## SECTION 9: Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state : Liquid

**Appearance** : Clear Liquid.

Colour : Yellowish to brown Odour : Typical of lubricant oil

Odour threshold : Not available

: Not available pΗ Melting point : Not available Freezing point : Not available **Boiling point** : Not available Flash point : 214 °C (COC)

(butylacetate=1)

Relative evaporation rate

: Not available **Flammability Explosive limits** : Not available : Not available Vapour pressure Relative vapour density at 20°C : Not available Relative density : 0,87 (20/4°C) Density : Not available Solubility : Not available : Not available

Partition coefficient n-octanol/water

(Log Kow)

: Not available Auto-ignition temperature Decomposition temperature : Not available

Kinematic Viscosity (40°C) : 20 cSt

Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle specific surface area : Not applicable

### 9.2. Data relevant with regard to physical hazard classes

No additional information available

### 9.3. Further safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

: Stable under normal conditions of use. Chemical stability



**Product: LUBRAX HYDRA XP 22** 

SDS ID: 1000839 Revision date: 27/05/2025

Conditions to avoid : Extremely high or low temperatures. Keep away from heat, hot

surfaces, sparks, open flames and other ignition sources. No smoking.

Hazardous decomposition products

: No hazardous decomposition products known at room temperature.

Incompatible materials

: Consult supplier(s) of these materials for specific recommendations.

Possibility of hazardous reactions

: None under normal use.

Reactivity

: The product is non-reactive under normal conditions of use, storage and

transport.

Handling temperature : No additional information available

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not available
Acute toxicity (dermal) : Not available
Acute toxicity (inhalation) : Not available

Lubricating base oil	
LD50 oral rat	> 6000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

2,6-di-tert-butylphenol (128-39-2)	
LD50 dermal rat	> 1000 mg/kg Source: IUCLID

Skin corrosion/irritation : Not available

Serious eye damage/irritation : Not available

Respiratory or skin sensitisation : Not available

Germ cell mutagenicity : Not available

Carcinogenicity : Not available

Reproductive toxicity : Not available STOT-single exposure : Not available

STOT-repeated exposure : Not available

Aspiration hazard : May be fatal if swallowed and enters airways.

Other information : This mixture does not contain carcinogenic ingredients. The mineral oils

present in the product are highly refined and contain <3% DMSO extract

(IP 346).



**Product: LUBRAX HYDRA XP 22** 

SDS ID: 1000839 Revision date: 27/05/2025

LUBRAX HYDRA XP 22	
Kinematic Viscosity (40°C)	20 mm <sup>2</sup> /s

### 11.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May be fatal if swallowed and enters airways.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known

to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Risk of lung oedema.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, : Not classified.

short-term (acute)

Hazardous to the aquatic environment, : Not classified.

long-term (chronic)

Lubricating base oil	
LC50 - Other aquatic organisms [1]	> 1000 mg/l

2,6-di-tert-butylphenol (128-39-2)	
EC50 - Crustacea [1]	0,45 mg/l Source: IUCLID

### 12.2. Persistence and degradability

LUBRAX HYDRA XP 22	
Persistence and degradability	Rapidly degradable

### 12.3. Bioaccumulative potential

2,6-di-tert-butylphenol (128-39-2)	
Partition coefficient n-octanol/water (Log	4,92
Pow)	

## 12.4. Mobility in soil

No additional information available



**Product: LUBRAX HYDRA XP 22** 

SDS ID: 1000839 Revision date: 27/05/2025

12.5. Other adverse effects

Hazardous to the ozone layer : Not available

## **SECTION 13: Disposal considerations**

Regional waste regulation : Law No. 12.305 on the National Policy on Solid Waste Management, 02

August 2010.

Waste treatment methods : Must follow special treatment according to local regulation.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal : Disposal must be done according to official regulations.

recommendations

Additional information : Do not re-use empty containers.

## **SECTION 14: Transport information**

In accordance with IMDG / IATA / ANTT

### 14.1 National and international Regulations

Overland transport

Proper Shipping Name (ANTT) : Not applicable

Dangerous for the environment : No

Transport by sea

UN-No. (IMDG) : Not applicable Proper Shipping Name (IMDG) : Not applicable Class (IMDG) : Not applicable Subsidiary hazard (IMDG) : Not applicable Packing group (IMDG) : Not applicable EmS-No. (Fire) : Not applicable EmS-No. (Spillage) : Not applicable Special provisions (IMDG) : Not applicable

Air transport

UN-No. (IATA) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Class (IATA) : Not applicable
Subsidiary hazards (IATA) : Not applicable
Packing group (IATA) : Not applicable
Special provisions (IATA) : Not applicable

### 14.2 Other informations

No additional information available



**Product: LUBRAX HYDRA XP 22** 

SDS ID: 1000839 Revision date: 27/05/2025

## SECTION 15: Regulatory information

### 15.1. National regulations

**Brazil Local Regulations** 

: Norma ABNT NBR 14725.

Federal Decree no. 10.088, of 5 November 2019 - Promulgates Convention no. 170 of the WLO, relating to Safety in the Use of Chemicals in the Workplace, ratified by the Federative Republic of

Brazil.

Ministerial Order no. 2.770, of 5 September 2022 - Approves the new

wording of Regulatory Standard No. 26

Federal Decree no. 96.044, of 18 May 1988 - Approves Regulations for

Road Transportation of Hazardous Materials

Resolution no. 5998, of 03 November 2022, updates the regulation for

road transport of dangerous goods, approves its Complementary

Instructions, and other measures.

## **SECTION 16: Other information**

#### No additional information available

Safety Data Sheet (SDS), Brazil

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.