

**Product: LUBRAX OB GII 100** 

SDS ID: 1023729 Revision date: 22/05/2025

### **SECTION 1: Identification**

### 1.1. GHS Product identifier

Product form : Mixture

Product name : LUBRAX OB GII 100

Product code : 1023729

Product group : Produtos comerciais

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Lubricant oil.

1.4. Supplier's details

Name of company : Vibra Energia S.A.

Address : Rua Correia Vasques, 250

Rio de Janeiro

Brasil 20.211-140

SAC : 4090 1337 ou 0800 770 1337 (capitals, metropolitan regions or other

regions)

Emergency telephone number : 0800 024 44 33

1.5. Emergency phone number

Emergency number : 0800 024 44 33 CAE (Emergency Support Center), for leaks, spills and

other accidents that require emergency support.

### **SECTION 2: Hazard identification**

#### 2.1. Classification of the substance or mixture

Classification according to GHS BR (ABNT NBR 14725: 2023)

Chemical product not classified as hazardous according to ABNT NBR 14725

### 2.2. GHS Label elements, including precautionary statements

**GHS BR labelling** 

Precautionary statements (GHS BR)



Product: LUBRAX OB GII 100

SDS ID: 1023729 Revision date: 22/05/2025

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	GHS Product identifier		Classification according to GHS BR (ABNT NBR 14725: 2023)
Distillates (petroleum), hydrotreated heavy paraffinic	CAS-No.: 64742-54-7	100	Not classified

Comments : The mineral oils present in the product are highly refined and contain

<3% DMSO extract (IP 346).

### **SECTION 4: First-aid measures**

#### 4.1. Description of necessary first-aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known

to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions. Symptoms/effects after ingestion : None under normal conditions.

### 4.3. Indication of any immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically Other medical advice or treatment : Treat symptomatically.



**Product: LUBRAX OB GII 100** 

SDS ID: 1023729 Revision date: 22/05/2025

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in : Toxic fumes may be released.

case of fire

### 5.3. Special protective actions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Do not

enter fire area without proper protective equipment, including

respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or

public waters. Absorb spillage to prevent material damage.

### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Evacuate area. Only qualified personnel

equipped with suitable protective equipment may intervene. Notify fire

brigade and environmental authorities.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.

For further information refer to section 8: "Exposure controls/personal

protection". Equip cleanup crew with proper protection.

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.



Product: LUBRAX OB GII 100

SDS ID: 1023729 Revision date: 22/05/2025

#### 6.3. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes

or absorbents to prevent migration and entry into sewers or streams.

Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated

conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective

equipment. Keep only in original container. Do not handle until all

safety precautions have been read and understood.

Hygiene measures : Always wash hands after handling the product. Do not eat, drink or

smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in a well-ventilated place. Keep cool.

Packaging materials : Store always product in container of same material as original

container.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures

### Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:	
Protective gloves	



Product: LUBRAX OB GII 100

SDS ID: 1023729 Revision date: 22/05/2025

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Personal protective equipment symbol(s):







## **SECTION 9: Physical and chemical properties**

### 9.1. Basic physical and chemical properties

Physical state : Liquid

Colour : Not available Odour : Not available Odour threshold : Not available : Not available pН : Not applicable Melting point Freezing point : Not available : Not available **Boiling point** : 207 °C Flash point

: Not available

(butylacetate=1)

Relative evaporation rate

Flammability : Not available **Explosive limits** : Not available Vapour pressure : Not available Relative vapour density at 20°C : Not available : Not available Relative density Density : Not available Solubility : Not available Partition coefficient n-octanol/water : Not available

(Log Kow)

Auto-ignition temperature : Not available Decomposition temperature : Not available Kinematic Viscosity  $(40^{\circ}C)$  :  $\approx 20,4$  cSt



Product: LUBRAX OB GII 100

SDS ID: 1023729 Revision date: 22/05/2025

Particle size : Not applicable
Particle size distribution : Not applicable
Particle shape : Not applicable
Particle aspect ratio : Not applicable
Particle specific surface area : Not applicable

### 9.2. Data relevant with regard to physical hazard classes

No additional information available

#### 9.3. Further safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

Chemical stability : Stable under normal conditions.

Conditions to avoid : None under recommended storage and handling conditions (see section

7).

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Incompatible materials : Consult supplier(s) of these materials for specific recommendations.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Reactivity : The product is non-reactive under normal conditions of use, storage and

transport.

Handling temperature : No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not available
Acute toxicity (dermal) : Not available
Acute toxicity (inhalation) : Not available

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LD50 dermal rabbit	> 5000 mg/kg Source: IUCLID

Skin corrosion/irritation : Not available

Serious eye damage/irritation : Not available

Respiratory or skin sensitisation : Not available



Product: LUBRAX OB GII 100

SDS ID: 1023729 Revision date: 22/05/2025

Germ cell mutagenicity : Not available

Carcinogenicity : Not available

Reproductive toxicity : Not available STOT-single exposure : Not available

STOT-repeated exposure : Not available

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0,98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)

Aspiration hazard : Not available

Other information : This mixture does not contain carcinogenic ingredients. The mineral oils

present in the product are highly refined and contain <3% DMSO extract

(IP 346).

LUBRAX OB GII 100	
Kinematic Viscosity (40°C)	≈ 20,4 mm²/s

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Kinematic Viscosity (40°C)	1,99 - 847 mm²/s Temp.: '40°C' Parameter: 'mm²/smm2/s '

### 11.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known

to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions. Symptoms/effects after ingestion : None under normal conditions.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to

cause long-term adverse effects in the environment.

Hazardous to the aquatic environment,

short-term (acute)

: Not classified.



Product: LUBRAX OB GII 100

Revision date: 22/05/2025 SDS ID: 1023729

Hazardous to the aquatic environment,

: Not classified.

long-term (chronic)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 10000 mg/l
EC50 72h - Algae [1]	> 100 mg/l
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID
NOEC chronic crustacea	> 10 mg/l

### 12.2. Persistence and degradability

LUBRAX OB GII 100	
Persistence and degradability	Rapidly degradable

### 12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Partition coefficient n-octanol/water (Log	3,9 - 6 Source: IUCLID
Pow)	

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Hazardous to the ozone layer : Not available

### **SECTION 13: Disposal considerations**

Regional waste regulation : Law No. 12.305 on the National Policy on Solid Waste Management, 02

August 2010.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's

sorting instructions.

Sewage disposal recommendations

: Disposal must be done according to official regulations.

Product/Packaging disposal

: Disposal must be done according to official regulations.

recommendations

Additional information : Do not re-use empty containers.

## **SECTION 14: Transport information**

In accordance with IMDG / IATA / ANTT



**Product: LUBRAX OB GII 100** 

SDS ID: 1023729 Revision date: 22/05/2025

#### 14.1 National and international Regulations

### Overland transport

Proper Shipping Name (ANTT) : Not applicable

Dangerous for the environment : No

#### Transport by sea

UN-No. (IMDG) : Not applicable Proper Shipping Name (IMDG) : Not applicable Class (IMDG) : Not applicable Subsidiary hazard (IMDG) : Not applicable : Not applicable Packing group (IMDG) : Not applicable EmS-No. (Fire) : Not applicable EmS-No. (Spillage) Special provisions (IMDG) : Not applicable

#### Air transport

UN-No. (IATA) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Class (IATA) : Not applicable
Subsidiary hazards (IATA) : Not applicable
Packing group (IATA) : Not applicable
Special provisions (IATA) : Not applicable

#### 14.2 Other informations

No additional information available

## **SECTION 15: Regulatory information**

### 15.1. National regulations

Brazil Local Regulations : Norma ABNT NBR 14725.

Federal Decree no. 10.088, of 5 November 2019 - Promulgates Convention no. 170 of the WLO, relating to Safety in the Use of Chemicals in the Workplace, ratified by the Federative Republic of

Brazil.

Ministerial Order no. 2.770, of 5 September 2022 - Approves the new

wording of Regulatory Standard No. 26

Federal Decree no. 96.044, of 18 May 1988 - Approves Regulations for

Road Transportation of Hazardous Materials

Resolution no. 5998, of 03 November 2022, updates the regulation for

road transport of dangerous goods, approves its Complementary

Instructions, and other measures.

## **SECTION 16: Other information**



**Product: LUBRAX OB GII 100** 

SDS ID: 1023729 Revision date: 22/05/2025

### No additional information available

Safety Data Sheet (SDS), Brazil

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.