

Product: LUBRAX RAIL 13

SDS ID: 1000761 Revision date: 27/05/2025

SECTION 1: Identification

1.1. GHS Product identifier

Product form : Mixture

Product name : LUBRAX RAIL 13

Product code : 1000761

Product group : Produtos comerciais

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Lubricant oil.

1.4. Supplier's details

Name of company : Vibra Energia S.A.

Address : Rua Correia Vasques, 250

Rio de Janeiro

Brasil 20.211-140

SAC : 4090 1337 ou 0800 770 1337 (capitals, metropolitan regions or other

regions)

Emergency telephone number : 0800 024 44 33

1.5. Emergency phone number

Emergency number : 0800 024 44 33 CAE (Emergency Support Center), for leaks, spills and

other accidents that require emergency support.

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to GHS BR (ABNT NBR 14725: 2023)

Skin sensitisation, Category 1

Reproductive toxicity, Category 1B

Hazardous to the aquatic environment - Acute Hazard, Category 3 Hazardous to the aquatic environment - Chronic Hazard, Category 3



Product: LUBRAX RAIL 13

SDS ID: 1000761 Revision date: 27/05/2025

2.2. GHS Label elements, including precautionary statements

GHS BR labelling

Hazard pictograms (GHS BR)





Signal word (GHS BR) : Danger

Hazard statements (GHS BR) : H317 - May cause an allergic skin reaction

H360 - May damage fertility or the unborn child.

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS BR)

Prevention : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and

understood.

P261 - Avoid breathing dust, fume, gas, mist, vapours or spray.

P272 - Contaminated work clothing should not be allowed out of the

workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face

protection and hearing protection.

Response : P302+P352 - IF ON SKIN: Wash with plenty of water.

P308+P313 - IF exposed or concerned: Get medical advice or attention. P321 - Specific treatment (see supplemental first aid instruction on this

label).

P333+P313 - If skin irritation or rash occurs: Get medical advice or

attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

Storage : P405 - Store locked up.

Disposal : P501 - Dispose of contents and/or container to hazardous or special

waste collection point, in accordance with local, regional, national and

international regulations.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable



Product: LUBRAX RAIL 13

SDS ID: 1000761 Revision date: 27/05/2025

3.2. Mixtures

Name	GHS Product identifier	%	Classification according to GHS BR (ABNT NBR 14725: 2023)
Alkyl phenate sulfide-derived calcium chain	CAS-No.: Confidencial	2 - 4	Aquatic Chronic 4, H413
	CAS-No.: Confidencial	0,5 - 2	Skin Sens. 1, H317
Branched alkylphenol and branched calcium alkylphenol	CAS-No.: 74499-35-7 & 132752-19-3	0,1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Repr. 1B, H360 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Comments : The mineral oils present in the product are highly refined and contain

<3% DMSO extract (IP 346).

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. People with

over sensibility problems are not allowed to work or be exposed to the

product.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact

: In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice.

First-aid measures after ingestion

: Do NOT induce vomiting. Rinse mouth out with water.

4.2. Most important symptoms and effects, acute and delayed

Symptoms/effects : May cause an allergic skin reaction.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known

to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Cracking of the skin. Prolonged or repeated contact may cause skin to

become dry.

Symptoms/effects after eye contact Symptoms/effects after ingestion None under normal conditions.None under normal conditions.

Chronic symptoms : May damage fertility. May damage the unborn child.

4.3. Indication of any immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically



Product: LUBRAX RAIL 13

SDS ID: 1000761 Revision date: 27/05/2025

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. dry chemical powder, foam for use in hydrocarbons,

carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : In case of fire and/or explosion do not breathe fumes.

Explosion hazard : No direct explosion hazard.

5.3. Special protective actions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Do not

enter fire area without proper protective equipment, including

respiratory protection.

Protection during firefighting : Wear recommended personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. May be harmful to aquatic organisms,

to flora, to soil organisms. Clean up any spills as soon as possible, using an absorbent material to collect it. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to

prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate area. Only qualified personnel equipped with suitable

protective equipment may intervene. Notify fire brigade and

environmental authorities.

6.1.2. For emergency responders

Protective equipment : Self-contained breathing apparatus. Total impervious protective suits,

gloves, and boots must be worn to prevent any contact with the

product. Equip cleanup crew with proper protection.

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.



Product: LUBRAX RAIL 13

SDS ID: 1000761 Revision date: 27/05/2025

6.2. Environmental precautions

Do not allow to enter drains or water courses. Harmful to aquatic life with long lasting effects. Do not allow product to spread into the environment. Harmful to aquatic life. Notify authorities if product enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes

or absorbents to prevent migration and entry into sewers or streams.

Stop leak without risks if possible.

Methods for cleaning up : Absorb spilled material with sand or earth. Take up liquid spill into

absorbent material.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated

conditions of normal use.

Precautions for safe handling : Obtain special instructions before use. Take all necessary technical

measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Contaminated work clothing should not be allowed out of the workplace. Ensure good ventilation of the work station. Keep only in original container. Do not handle until all safety precautions have been

read and understood.

Hygiene measures : Take off immediately all contaminated clothing and wash it before

reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store locked up. Store in tightly closed, leak-proof containers.

Storage conditions : Keep cool. Protect from sunlight. Store in a well-ventilated place. Keep

cool.

Packaging materials : Store always product in container of same material as original

container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit for mists/aerosols that may form while using this product:

|--|



Product: LUBRAX RAIL 13

SDS ID: 1000761 Revision date: 27/05/2025

TWA - (ACGIH, 2024) 5 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.3. Individual protection measures

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Nitrile rubber gloves

Eye protection:

Wear security glasses which protect from splashes

Skin and body protection:

Chemical resistant safety shoes. Long sleeved protective clothing. Chemical resistant apron

Respiratory protection:

No respiratory protection needed under normal use conditions

Personal protective equipment symbol(s):









SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid Appearance : Liquid.

Colour : Yellowish to brown
Odour : Typical of lubricant oil

Odour threshold : Not available pH : Not available Melting point : Not available Freezing point : Not available



Product: LUBRAX RAIL 13

SDS ID: 1000761 Revision date: 27/05/2025

Boiling point : Not available
Flash point : 258 °C (COC)
Relative evaporation rate : Not available

(butylacetate=1)

Flammability : Not available **Explosive limits** : Not available Vapour pressure : Not available Relative vapour density at 20°C : Not available Relative density : 0,9 (20/4°C) : Not available Density Solubility : Not available Partition coefficient n-octanol/water : Not available

(Log Kow)

Auto-ignition temperature : Not available
Decomposition temperature : Not available
Kinomatic Viscosity (40°C) : 142 cSt

Kinematic Viscosity (40°C) : 142 cSt

Particle size : Not applicable
Particle size distribution : Not applicable
Particle shape : Not applicable
Particle aspect ratio : Not applicable
Particle specific surface area : Not applicable

9.2. Data relevant with regard to physical hazard classes

No additional information available

9.3. Further safety characteristics

No additional information available

Hazardous decomposition products

Possibility of hazardous reactions

SECTION 10: Stability and reactivity

Chemical stability : Stable under normal conditions of use.

Conditions to avoid : Extremely high or low temperatures. Keep away from heat, hot

: None under normal use.

surfaces, sparks, open flames and other ignition sources. No smoking. : No hazardous decomposition products known at room temperature.

Incompatible materials : Consult supplier(s) of these materials for specific recommendations.

Reactivity : The product is non-reactive under normal conditions of use, storage and

transport.

Handling temperature : No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not available



Product: LUBRAX RAIL 13

SDS ID: 1000761 Revision date: 27/05/2025

Acute toxicity (dermal) : Not available Acute toxicity (inhalation) : Not available

Skin corrosion/irritation : Not available

Serious eye damage/irritation : Not available

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not available

Carcinogenicity : Not available

Reproductive toxicity : May damage fertility or the unborn child.

STOT-single exposure : Not available

STOT-repeated exposure : Not available

Aspiration hazard : Not available

Other information : This mixture does not contain carcinogenic ingredients. The mineral oils

present in the product are highly refined and contain <3% DMSO extract

(IP 346).

LUBRAX RAIL 13

Kinematic Viscosity (40°C) 142 mm²/s

11.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause an allergic skin reaction.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known

to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Cracking of the skin. Prolonged or repeated contact may cause skin to

become dry.

Symptoms/effects after eye contact

Symptoms/effects after ingestion

Chronic symptoms

: None under normal conditions.

: None under normal conditions.

: May damage fertility. May damage the unborn child.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, : Harmful to aquatic life.

short-term (acute)

Hazardous to the aquatic environment,

long-term (chronic)

: Harmful to aquatic life with long lasting effects.



Product: LUBRAX RAIL 13

SDS ID: 1000761 Revision date: 27/05/2025

12.2. Persistence and degradability

LUBRAX RAIL 13		
Persistence and degradability	Rapidly degradable	

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Hazardous to the ozone layer : Not available

SECTION 13: Disposal considerations

Regional waste regulation : Law No. 12.305 on the National Policy on Solid Waste Management, 02

August 2010.

Waste treatment methods : Must follow special treatment according to local regulation. Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal

recommendations

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with IMDG / IATA / ANTT

14.1 National and international Regulations

Not regulated for transport

Overland transport Resolution no. 5998, of November 3, 2022, updates the regulation for

road transport of dangerous goods, approves its Complementary

: Disposal must be done according to official regulations.

Instructions, and other measures.

Proper Shipping Name (ANTT) : Not applicable

Dangerous for the environment : No

Transport by sea

UN-No. (IMDG) : Not regulated
Proper Shipping Name (IMDG) : Not regulated
Class (IMDG) : Not regulated
Subsidiary hazard (IMDG) : Not regulated
Packing group (IMDG) : Not regulated
EmS-No. (Fire) : Not regulated
EmS-No. (Spillage) : Not regulated



Product: LUBRAX RAIL 13

SDS ID: 1000761 Revision date: 27/05/2025

Special provisions (IMDG) : Not regulated

Air transport

UN-No. (IATA) : Not regulated
Proper Shipping Name (IATA) : Not regulated
Class (IATA) : Not regulated
Subsidiary hazards (IATA) : Not regulated
Packing group (IATA) : Not regulated
Special provisions (IATA) : Not regulated

14.2 Other informations

No additional information available

SECTION 15: Regulatory information

15.1. National regulations

Brazil Local Regulations : Norma ABNT NBR 14725.

Federal Decree no. 10.088, of 5 November 2019 - Promulgates Convention no. 170 of the WLO, relating to Safety in the Use of Chemicals in the Workplace, ratified by the Federative Republic of

Brazil.

Ministerial Order no. 2.770, of 5 September 2022 - Approves the new

wording of Regulatory Standard No. 26

Federal Decree no. 96.044, of 18 May 1988 - Approves Regulations for

Road Transportation of Hazardous Materials

Resolution no. 5998, of 03 November 2022, updates the regulation for

road transport of dangerous goods, approves its Complementary

Instructions, and other measures.

SECTION 16: Other information

No additional information available

Safety Data Sheet (SDS), Brazil

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.