

SDS ID: 1013701

Revision date: 03/02/2023

SECTION 1: Identification of Product and Company

| 1.1. Product identifier | |
|-----------------------------|---|
| Product name | : LUBRAX ADVENTO 15W40 |
| Product code | : 1013701 |
| Recommended use | : Lubricant oil. |
| 1.2. Company identification | |
| Name of company | : Vibra Energia S.A. |
| Address | : Rua Correia Vasques, 250 |
| | Rio de Janeiro |
| | Brasil |
| | 20.211-140 |
| SAC | : 4090 1337 (capitais ou regiões metropolitanas) ou 0800 770 1337 (demais regiões) |
| Emergency telephone number | : 0800 024 44 33 - CAE (Central de apoio a emergências), para vazamentos, derramamentos e outros acidentes que necessitem de suporte emergencial. |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to GHS BR (ABNT NBR 14725)

Skin corrosion/irritation, Category 3Serious eye damage/eye irritation, Category 22.2. Label elementsGHS BR labelling

Hazard pictograms (GHS BR)

Signal word (GHS BR) Hazard statements (GHS BR)

Precautionary statements (GHS BR) Prevention



: Warning

: H316 - Causes mild skin irritation

H319 - Causes serious eye irritation.

: P264 - Wash the exposed areas thoroughly after handling. P280 - Wear protective gloves, protective clothing and eye protection.



SDS ID: 1013701

Revision date: 03/02/2023

Resposta a Emergência

: P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to GHS BR (ABNT NBR 14725) |
|---|----------------------|---------|---|
| Lubricating base oil | - | 70 - 80 | Not classified |
| Viscometric modifier agent | - | 5 - 10 | Not classified |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | CAS-No.: 64742-65-0 | 2 - 5 | Asp. Tox. 1, H304 |
| Lubricating base oil | - | 3 - 4 | Not classified |
| Phosphorodithioic acid, mixed 0,0- bis(sec-Bu and isooctyl) esters, zinc salts | CAS-No.: 113706-15-3 | 0,1 - 2 | Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411 |
| Paraffin oils (petroleum), catalytic dewaxed heavy | CAS-No.: 64742-70-7 | 0,1 - 1 | Not classified |
| Distillates (petroleum), hydrotreated heavy paraffinic | CAS-No.: 64742-54-7 | 0,1 - 1 | Not classified |
| bis(nonylphenyl)amine | CAS-No.: 36878-20-3 | 0,1 - 1 | Acute Tox. 4 (Dermal), H312 Aquatic Chronic 4, H413 |
| Phenol, tetrapropylene-, sulfurized, carbonates, calcium salts, overbased | CAS-No.: 122384-87-6 | 0,1 - 1 | Acute Tox. 5 (Dermal), H313 Acute Tox. 2 (Inhalation:vapour), H330 Aquatic Chronic 4, H413 |
| Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene) | CAS-No.: 9003-29-6 | 0,1 - 1 | Not classified |
| Viscometric modifier agent | - | 0,1 - 1 | Not classified |



SDS ID: 1013701

Revision date: 03/02/2023

| Name | Product identifier | % | Classification according to GHS BR (ABNT NBR 14725) |
|--|---------------------|---------|--|
| Phenol, dodecyl-, branched | CAS-No.: 74499-35-7 | < 1 | Acute Tox. 5 (Dermal), H313 Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Metal complex alkylthio-long chain carbamide | CAS-No.: ACC#157143 | < 1 | Aquatic Acute 3, H402 |
| Additive package | - | 0,1 - 1 | Not classified |

Comments

: The mineral oils present in the product are highly refined and contain <3% DMSO extract (IP 346).

SECTION 4: First aid measures

4.1. Description of first aid measures First-aid measures general : If you feel unwell, seek medical advice. First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Be careful, the product may remain trapped under clothing, footwear or a wrist-watch. : In case of contact with eyes, rinse immediately with plenty of water First-aid measures after eye contact and seek medical advice. First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth out with water. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after inhalation : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing. Symptoms/effects after skin contact : Causes mild skin irritation. Itching. Symptoms/effects after eye contact : May cause eye irritation. Symptoms/effects after ingestion : None under normal conditions. 4.3. Indication of any immediate medical attention and special treatment needed Notes to physician : Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

: Water spray. dry chemical powder, foam for use in hydrocarbons, carbon dioxide (CO2).



| Revision date: 03/02/2023 |
|--|
| : Do not use a heavy water stream. |
| ubstance or mixture |
| : In case of fire and/or explosion do not breathe fumes. |
| : No direct explosion hazard. |
| |
| : Fight fire with normal precautions from a reasonable distance. Do not enter fire area without proper protective equipment, including respiratory protection. |
| : Use self-contained breathing apparatus and chemically protective clothing. |
| |

SECTION 6: Accidental release measures

| 6.1. Personal precautions, protective | equipment and emergency procedures |
|---|---|
| General measures | : Avoid contact with skin and eyes. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. |
| 6.1.1. For non-emergency personnel | |
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Evacuate area. Only qualified personnel equipped with suitable protective equipment may intervene. Notify fire brigade and environmental authorities. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Self-contained breathing apparatus. Equip cleanup crew with proper protection. |
| Emergency procedures | : Evacuate unnecessary personnel. Stop leak if safe to do so. |
| 6.2. Environmental precautions | |
| Avoid release to the environment. Notif | y authorities if product enters sewers or public waters. |
| 6.3. Methods and material for contain | ment and cleaning up |
| For containment | : Absorb spilled material with sand or earth. Contain any spills with dikes |
| | or absorbents to prevent migration and entry into sewers or streams. |

Methods for cleaning up

Stop leak without risks if possible. : Clean contaminated surfaces with an excess of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| 7.1. Trecadelons for sale handling | |
|------------------------------------|--|
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated |
| | conditions of normal use. |



| SDS ID: 1013701 | Revision date: 03/02/2023 |
|-------------------------------------|--|
| Precautions for safe handling | : Keep only in original container. Do not handle until all safety precautions have been read and understood. |
| Hygiene measures | : Always wash hands after handling the product. Remove contaminated clothes. Do not eat, drink or smoke when using this product. |
| 7.2. Conditions for safe storage, i | ncluding any incompatibilities |
| Technical measures | : Keep in a cool, well-ventilated place away from heat. |
| Storage conditions | : Keep cool. Protect from sunlight. |
| Packaging materials | : Store always product in container of same material as original container. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit for mists/aerosols that may form while using this product:

| Name | Mineral oil, excluding metal working fluids - pure, highly and severely refined |
|---------------------|---|
| TWA - (ACGIH, 2021) | 5 mg/m ³ |

8.2. Exposure controls

Appropriate engineering controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

| Hand protection: | |
|------------------------|--|
| Desta attace al second | |

Protective gloves

Eye protection:

Wear security glasses which protect from splashes

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended



SDS ID: 1013701

Revision date: 03/02/2023

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : Liquid |
|--|----------------------------|
| Appearance | : Clear Liquid. |
| Colour | : light brown |
| Odour | : Typical of lubricant oil |
| Odour threshold | : Not available |
| pH | : Not available |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flash point | : 222 °C (COC) |
| Relative evaporation rate (butylacetate=1) | : Not available |
| Flammability | : Not available |
| Explosive limits | : Not available |
| Vapour pressure | :Not available |
| Relative vapour density at 20°C | : Not available |
| Relative density | :0,87 (20/4°C) |
| Solubility | :Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Auto-ignition temperature | :Not available |
| Decomposition temperature | :Not available |
| Kinematic Viscosity (40°C) | : 110 cSt |
| Viscosity, dynamic | : Not available |
| | |

9.2. Other information



SDS ID: 1013701

Not available

Revision date: 03/02/2023

SECTION 10: Stability and reactivity

| Chemical stability | : Stable under normal conditions of use. |
|------------------------------------|--|
| Conditions to avoid | : Extremely high or low temperatures. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| Hazardous decomposition products | : No hazardous decomposition products known at room temperature. |
| Incompatible materials | : Consult supplier(s) of these materials for specific recommendations. |
| Possibility of hazardous reactions | : None under normal use. |
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport. |
| Handling temperature | : No additional information available |

SECTION 11: Toxicological information

| 11.1. Information on toxicological effects | |
|---|--|
| Acute toxicity (oral) : | Not available |
| Acute toxicity (dermal) : | Not available |
| Acute toxicity (inhalation) : | Not available |
| Lubricating base oil | |
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| LC50 Inhalation - Rat | > 5000 mg/m ³ |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | |
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) |
| Phosphorodithioic acid, mixed 0,0-bis(sec-Bu and isooctyl) esters, zinc salts (113706-15-3) | |
| LD50 oral rat | = 2600 mg/kg |
| LD50 dermal rabbit | > 3160 mg/kg |
| LC50 Inhalation - Rat | > 2 mg/l |
| ATE BR (oral) | 2500 mg/kg bodyweight |
| ATE BR (dermal) | 2500 mg/kg bodyweight |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) |



SDS ID: 1013701

Revision date: 03/02/2023

| bis(nonylphenyl)amine (36878-20-3) | |
|--|--|
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 dermal rat | < 2000 mg/kg |
| ATE BR (dermal) | 1100 mg/kg bodyweight |
| Phenol, tetrapropylene-, sulfurized, c | arbonates, calcium salts, overbased (122384-87-6) |
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 4000 mg/kg |
| LC50 Inhalation - Rat | > 1,67 mg/l |
| ATE BR (dermal) | 2500 mg/kg bodyweight |
| ATE BR (vapours) | 0,5 mg/l/4h |
| Phenol, dodecyl-, branched (74499-35 | 5-7) |
| LD50 dermal rabbit | > 2000 mg/kg |
| ATE BR (dermal) | 2500 mg/kg bodyweight |
| Skin corrosion/irritation | : Causes mild skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitisation | : Not available |
| Germ cell mutagenicity | : Not available |
| Carcinogenicity | : Not classified (The mineral oils present in the product are highly refined and contain <3% DMSO extract (IP 346).) |
| Reproductive toxicity | : Not available |
| STOT-single exposure | : Not available |
| STOT-repeated exposure | : Not available |
| Distillates (petroleum), solvent-dewax | ed heavy paraffinic (64742-65-0) |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |
| Distillates (petroleum), hydrotreated | neavy paraffinic (64742-54-7) |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
| Aspiration hazard | : Not available |
| Other information | : This mixture does not contain carcinogenic ingredients. The mineral oil present in the product are highly refined and contain <3% DMSO extract (IP 346). |



.

. _ _ .

Product: LUBRAX ADVENTO 15W40

SDS ID: 1013701

Revision date: 03/02/2023

| LUBRAX ADVENTO 15W40 | |
|----------------------------|-----------|
| Kinematic Viscosity (40°C) | 110 mm²/s |

11.2. Most important symptoms and effects, both acute and delayed

| Symptoms/effects after inhalation | : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing. |
|-------------------------------------|---|
| Symptoms/effects after skin contact | : Causes mild skin irritation. Itching. |
| Symptoms/effects after eye contact | : May cause eye irritation. |
| Symptoms/effects after ingestion | : None under normal conditions. |

SECTION 12: Ecological information

12.1. Toxicity

| Phosphorodithioic acid, mixed 0,0-bis(se | c-Bu and isooctyl) esters, zinc salts (113706-15-3) |
|---|--|
| LC50 - Fish [1] | = 4,5 mg/l |
| EC50 - Crustacea [1] | = 5,4 mg/l |
| Distillates (petroleum), hydrotreated hea | vy paraffinic (64742-54-7) |
| LC50 - Fish [1] | > 100 mg/l |
| EC50 - Crustacea [1] | > 10000 mg/l |
| NOEC chronic crustacea | > 10 mg/l |
| bis(nonylphenyl)amine (36878-20-3) | · |
| LC50 - Fish [1] | > 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 - Crustacea [1] | > 100 mg/l Test organisms (species): Daphnia magna |
| Phenol, tetrapropylene-, sulfurized, carb | onates, calcium salts, overbased (122384-87-6) |
| LC50 - Fish [1] | > 1000 mg/l |
| LC50 - Other aquatic organisms [1] | > 1000 mg/l |
| EC50 - Crustacea [1] | > 1000 mg/l |
| Metal complex alkylthio-long chain carba | mide (ACC#157143) |
| LC50 - Other aquatic organisms [1] | > 100 mg/l |
| EC50 - Crustacea [1] | 50 mg/l |



SDS ID: 1013701

Revision date: 03/02/2023

| Metal complex alkylthio-long chain carbamide (ACC#157143) | |
|---|-------------|
| NOEC chronic fish | = 94,8 mg/l |
| NOEC chronic crustacea | = 100 mg/l |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

| Regional legislation (waste) | : Law No. 12.305 on the National Policy on Solid Waste Management, 02 August 2010. |
|--|---|
| Waste treatment methods | : Must follow special treatment according to local regulation. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |

SECTION 14: Transport information

| 14.1 National and international Regulations | |
|---|--|
| Overland transport | |

| UN-No. | : 3082 |
|-------------------------------|--------|
| Dangerous for the environment | : No |

14.2 Other information

No additional information available



SDS ID: 1013701

Revision date: 03/02/2023

SECTION 15: Regulatory information

| 15.1. National regulations | |
|----------------------------|---|
| Brazil Local Regulations | Norma ABNT NBR 14725. Decreto Federal nº 2.657, de 3 de julho de 1998 - Promulga a Convenção nº 170 da OIT, relativa à Segurança na Utilização de Produtos Químicos no Trabalho, assinada em Genebra, em 25 de junho de 1990. Portaria nº 229, de 24 de maio de 2011 - Altera a Norma Regulamentadora nº 27 Federal Decree no. 96.044, of 18 May 1988 - Approves Regulations for Road Transportation of Hazardous Materials Resolution no. 5947, of 01 June 2021, updates the regulation for road transport of dangerous goods and approves its complementary instructions, and other measures. |

SECTION 16: Other information

No additional information available

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.