

SDS ID: 1015631

Revision date: 03/02/2023

SECTION 1: Identification of Product and Company

1.1. Product identifier Product name Product code Recommended use	: LUBRAX ADVENTO 4x4 : 1015631 : Lubricant oil.
Recommended use	: Lubricant oft.
1.2. Company identification	
Name of company	: Vibra Energia S.A.
Address	: Rua Correia Vasques, 250
	Rio de Janeiro
	Brasil
	20.211-140
SAC	: 4090 1337 (capitais ou regiões metropolitanas) ou 0800 770 1337 (demais regiões)
Emergency telephone number	: 0800 024 44 33 - CAE (Central de apoio a emergências), para vazamentos, derramamentos e outros acidentes que necessitem de suporte emergencial.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to GHS BR (ABNT NBR 14725)

Skin corrosion/irritation, Category 3Serious eye damage/eye irritation, Category 22.2. Label elementsGHS BR labelling

Hazard pictograms (GHS BR)

Signal word (GHS BR) Hazard statements (GHS BR)

Precautionary statements (GHS BR) Prevention



: Warning

: H316 - Causes mild skin irritation

H319 - Causes serious eye irritation.

: P264 - Wash the exposed areas thoroughly after handling. P280 - Wear protective gloves, protective clothing and eye protection.



SDS ID: 1015631

Revision date: 03/02/2023

Resposta a Emergência

: P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS BR (ABNT NBR 14725)
Lubricating base oil	-	40 - 50	Not classified
Lubricating base oil	-	30 - 40	Not classified
Viscometric modifier agent	-	4 - 5	Not classified
Distillates (petroleum), solvent-dewaxed heavy paraffinic	CAS-No.: 64742-65-0	2 - 5	Asp. Tox. 1, H304
Phosphorodithioic acid, mixed 0,0- bis(sec-Bu and isooctyl) esters, zinc salts	CAS-No.: 113706-15-3	0,1 - 2	Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Paraffin oils (petroleum), catalytic dewaxed heavy	CAS-No.: 64742-70-7	0,1 - 1	Not classified
Distillates (petroleum), hydrotreated heavy paraffinic	CAS-No.: 64742-54-7	0,1 - 1	Not classified
bis(nonylphenyl)amine	CAS-No.: 36878-20-3	0,1 - 1	Acute Tox. 4 (Dermal), H312 Aquatic Chronic 4, H413
Phenol, tetrapropylene-, sulfurized, carbonates, calcium salts, overbased	CAS-No.: 122384-87-6	0,1 - 1	Acute Tox. 5 (Dermal), H313 Acute Tox. 2 (Inhalation:vapour), H330 Aquatic Chronic 4, H413
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	CAS-No.: 9003-29-6	0,1 - 1	Not classified
Viscometric modifier agent	-	0,1 - 1	Not classified



SDS ID: 1015631

Revision date: 03/02/2023

Name	Product identifier	%	Classification according to GHS BR (ABNT NBR 14725)
Phenol, dodecyl-, branched	CAS-No.: 74499-35-7	< 1	Acute Tox. 5 (Dermal), H313 Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Metal complex alkylthio-long chain carbamide	CAS-No.: ACC#157143	< 1	Aquatic Acute 3, H402

Comments

: The mineral oils present in the product are highly refined and contain ${<}3\%$ DMSO extract (IP 346).

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Be careful, the product may remain trapped under clothing, footwear or a wrist-watch.
First-aid measures after eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth out with water.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
Symptoms/effects after skin contact	: Causes mild skin irritation. Itching.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.
4.2. Indication of any immediate modi	and attention and an axial treatment needed

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

: Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. dry chemical powder, foam for use in hydrocarbons, carbon dioxide (CO2).
Unsuitable extinguishing media	: Do not use a heavy water stream.



SDS ID: 1015631	Revision date: 03/02/2023
5.2. Special hazards arising from t	he substance or mixture
Fire hazard	: In case of fire and/or explosion do not breathe fumes.
Explosion hazard	: No direct explosion hazard.
5.3. Advice for firefighters	
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures : Avoid contact with skin and eyes. Stop leak if safe to do so. Notify General measures authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. 6.1.1. For non-emergency personnel Protective equipment : Wear recommended personal protective equipment. : Evacuate area. Only gualified personnel equipped with suitable **Emergency procedures** protective equipment may intervene. Notify fire brigade and environmental authorities. 6.1.2. For emergency responders Protective equipment : Self-contained breathing apparatus. Equip cleanup crew with proper protection. Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so. 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Methods for cleaning up : Clean contaminated surfaces with an excess of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Keep only in original container. Do not handle until all safety precautions have been read and understood.



SDS ID: 1015631	Revision date: 03/02/2023		
Hygiene measures	: Always wash hands after handling the product. Remove contaminated clothes. Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Keep in a cool, well-ventilated place away from heat.		
Storage conditions	: Keep cool. Protect from sunlight.		
Packaging materials	: Store always product in container of same material as original container.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit for mists/aerosols that may form while using this product:

Name	Mineral oil, excluding metal working fluids - pure, highly and severely refined
TWA - (ACGIH, 2021)	5 mg/m ³

8.2. Exposure controls

Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available
	in the immediate vicinity of any potential exposure.

8.3. Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:	
Protective gloves	

Eye protection:

Wear security glasses which protect from splashes

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended



SDS ID: 1015631

Revision date: 03/02/2023

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear Liquid.
Colour	: light brown
Odour	: Typical of lubricant oil
Odour threshold	:Not available
рН	:Not available
Melting point	:Not available
Freezing point	:Not available
Boiling point	:Not available
Flash point	:226 °C (COC)
Relative evaporation rate (butylacetate=1)	: Not available
Flammability	:Not available
Explosive limits	:Not available
Vapour pressure	:Not available
Relative vapour density at 20° C	:Not available
Relative density	:0,86 (20/4°C)
Solubility	:Not available
Partition coefficient n-octanol/water (Log Kow)	:Not available
Auto-ignition temperature	:Not available
Decomposition temperature	:Not available
Kinematic Viscosity (40°C)	: 77 cSt
Viscosity, dynamic	:Not available

9.2. Other information

Not available



SDS ID: 1015631

Revision date: 03/02/2023

SECTION 10: Stability and reactivity	
Chemical stability	: Stable under normal conditions of use.
Conditions to avoid	: Extremely high or low temperatures. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hazardous decomposition products	: No hazardous decomposition products known at room temperature.
Incompatible materials	: Consult supplier(s) of these materials for specific recommendations.
Possibility of hazardous reactions	: None under normal use.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Handling temperature	: No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological	effects
Acute toxicity (oral)	: Not available
Acute toxicity (dermal)	: Not available
Acute toxicity (inhalation)	: Not available
Lubricating base oil	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 5,53 mg/m ³
Distillates (petroleum), solvent-de	ewaxed heavy paraffinic (64742-65-0)
LD50 oral rat	 > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
Phosphorodithioic acid, mixed 0,0	O-bis(sec-Bu and isooctyl) esters, zinc salts (113706-15-3)
LD50 oral rat	= 2600 mg/kg
LD50 dermal rabbit	> 3160 mg/kg
LC50 Inhalation - Rat	> 2 mg/l
ATE BR (oral)	2500 mg/kg bodyweight
ATE BR (dermal)	2500 mg/kg bodyweight
Distillates (petroleum), hydrotrea	ted heavy paraffinic (64742-54-7)
LD50 oral rat	 > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)



SDS ID: 1015631

Revision date: 03/02/2023

bis(nonylphenyl)amine (36878-20-3)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	< 2000 mg/kg
ATE BR (dermal)	1100 mg/kg bodyweight
Phenol, tetrapropylene-, sulfurized, c	arbonates, calcium salts, overbased (122384-87-6)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 4000 mg/kg
LC50 Inhalation - Rat	> 1,67 mg/l
ATE BR (dermal)	2500 mg/kg bodyweight
ATE BR (vapours)	0,5 mg/l/4h
Phenol, dodecyl-, branched (74499-35	j-7)
LD50 dermal rabbit	> 2000 mg/kg
ATE BR (dermal)	2500 mg/kg bodyweight
Skin corrosion/irritation	: Causes mild skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not available
Germ cell mutagenicity	: Not available
Carcinogenicity	: Not classified (The mineral oils present in the product are highly refined and contain <3% DMSO extract (IP 346).)
Reproductive toxicity	: Not available
STOT-single exposure	: Not available
STOT-repeated exposure	: Not available
Distillates (petroleum), solvent-dewax	ed heavy paraffinic (64742-65-0)
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OEC Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	 ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
Distillates (petroleum), hydrotreated	neavy paraffinic (64742-54-7)
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OEC Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Aspiration hazard	: Not available
Other information	: This mixture does not contain carcinogenic ingredients. The mineral oi present in the product are highly refined and contain <3% DMSO extrac (IP 346).



SDS ID: 1015631

Revision date: 03/02/2023

LUBRAX ADVENTO 4x4	
Kinematic Viscosity (40°C)	77 mm²/s

11.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
Symptoms/effects after skin contact	: Causes mild skin irritation. Itching.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12: Ecological information

12.1. Toxicity

	ialaaa Du and isaast
Hazardous to the aquatic environment, long-term (chronic)	: Not available
Hazardous to the aquatic environment, short-term (acute)	: Not available

Phosphorodithioic acid, mixed 0,0-bis(sec-Bu and isooctyl) esters, zinc salts (113706-15-3)		
LC50 - Fish [1]	= 4,5 mg/l	
EC50 - Crustacea [1]	= 5,4 mg/l	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LC50 - Fish [1]	> 100 mg/l	
EC50 - Crustacea [1]	> 10000 mg/l	
NOEC chronic crustacea	> 10 mg/l	
bis(nonylphenyl)amine (36878-20-3)		
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
Phenol, tetrapropylene-, sulfurized, carbonates, calcium salts, overbased (122384-87-6)		
LC50 - Fish [1]	> 1000 mg/l	
LC50 - Other aquatic organisms [1]	> 1000 mg/l	
EC50 - Crustacea [1]	> 1000 mg/l	
Metal complex alkylthio-long chain carbamide (ACC#157143)		
LC50 - Other aquatic organisms [1]	> 100 mg/l	
EC50 - Crustacea [1]	50 mg/l	



SDS ID: 1015631

Revision date: 03/02/2023

Metal complex alkylthio-long chain carbamide (ACC#157143)	
NOEC chronic fish	= 94,8 mg/l
NOEC chronic crustacea	= 100 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Regional legislation (waste)	: Law No. 12.305 on the National Policy on Solid Waste Management, 02 August 2010.
Waste treatment methods	: Must follow special treatment according to local regulation.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

14.1 National and international Regulations

Not classified as dangerous for transport in the different modes, but may be harmful in the event of an accident. For further information, please consult Section 2 in this MSDS.

14.2 Other information

No additional information available



SDS ID: 1015631

Revision date: 03/02/2023

SECTION 15: Regulatory information

15.1. National regulations	
Brazil Local Regulations	 Norma ABNT NBR 14725. Decreto Federal nº 2.657, de 3 de julho de 1998 - Promulga a Convenção nº 170 da OIT, relativa à Segurança na Utilização de Produtos Químicos no Trabalho, assinada em Genebra, em 25 de junho de 1990. Portaria nº 229, de 24 de maio de 2011 - Altera a Norma Regulamentadora nº 27 Federal Decree no. 96.044, of 18 May 1988 - Approves Regulations for Road Transportation of Hazardous Materials Resolution no. 5947, of 01 June 2021, updates the regulation for road transport of dangerous goods and approves its complementary instructions, and other measures.

SECTION 16: Other information

No additional information available

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.