

Product: LUBRAX ADVENTO 4x4 PLUS

SDS ID: 1021082 Revision date: 24/08/2023

## **SECTION 1: Identification of Product and Company**

1.1. Product identifier

Product name : LUBRAX ADVENTO 4x4 PLUS

Product code : 1021082 Recommended use : Lubricant oil.

1.2. Company identification

Name of company : Vibra Energia S.A.

Address : Rua Correia Vasques, 250

Rio de Janeiro

Brasil 20.211-140

SAC : 4090 1337 (capitais ou regiões metropolitanas) ou 0800 770 1337

(demais regiões)

**Emergency telephone number**: 0800 024 44 33 - CAE (Central de apoio a emergências), para

vazamentos, derramamentos e outros acidentes que necessitem de

suporte emergencial.

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to GHS BR (ABNT NBR 14725)

Skin sensitisation, Category 1

### 2.2. Label elements

### **GHS BR labelling**

Hazard pictograms (GHS BR)



Signal word (GHS BR) : Warning

Hazard statements (GHS BR) : H317 - May cause an allergic skin reaction.

Precautionary statements (GHS BR)

Prevention : P261 - Avoid breathing mist and vapours.

P272 - Contaminated work clothing should not be allowed out of the

workplace.

P280 - Wear protective gloves, protective clothing and eye protection.

Resposta a Emergência : P302+P352 - IF ON SKIN: Wash with plenty of water and soup.

P321 - Specific treatment: In the event of spillage contact the customer



Product: LUBRAX ADVENTO 4x4 PLUS

SDS ID: 1021082 Revision date: 24/08/2023

attendance service.

P333+P313 - If skin irritation or rash occurs: Get medical

advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

Disposição : P501 - Dispose of contents and container in accordance with local

regulations.

### 2.3. Other hazards not contributing to the classification

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to GHS BR (ABNT NBR 14725)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	CAS-No.: 72623-87-1	20 - 30	Not classified
Polyolefin polyamine succinimide	CAS-No.: Confidencial	0,5 - 2	Skin Sens. 1, H317
degraded alkylphenol, ester	CAS-No.: Confidencial	0,5 - 2	Aquatic Chronic 4, H413
Phenol, dodecyl-, branched	CAS-No.: 74499-35-7	< 0,5	Skin Corr. 1C, H314 Repr. 1B, H360 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Comments : The mineral oils present in the product are highly refined and contain

<3% DMSO extract (IP 346).

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : People with over sensibility problems are not allowed to work or be

exposed to the product.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.



Product: LUBRAX ADVENTO 4x4 PLUS

SDS ID: 1021082 Revision date: 24/08/2023

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing,

and wash immediately with plenty of water. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth out with water.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause an allergic skin reaction.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known

to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Cracking of the skin. Prolonged or repeated contact may cause skin to

become dry.

Symptoms/effects after eye contact : None under normal conditions. Symptoms/effects after ingestion : None under normal conditions.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. dry chemical powder, foam for use in hydrocarbons,

carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire and/or explosion do not breathe fumes.

Explosion hazard : No direct explosion hazard.

### 5.3. Advice for firefighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Do not

enter fire area without proper protective equipment, including

respiratory protection.

Protection during firefighting : Wear recommended personal protective equipment.



Product: LUBRAX ADVENTO 4x4 PLUS

SDS ID: 1021082 Revision date: 24/08/2023

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Stop leak if safe to do so. Notify

authorities if product enters sewers or public waters. Absorb spillage to

prevent material damage.

### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate area. Only qualified personnel equipped with suitable

protective equipment may intervene. Notify fire brigade and

environmental authorities.

### 6.1.2. For emergency responders

Protective equipment : Self-contained breathing apparatus. Total impervious protective suits,

gloves, and boots must be worn to prevent any contact with the

product. Equip cleanup crew with proper protection.

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes

or absorbents to prevent migration and entry into sewers or streams.

Stop leak without risks if possible.

Methods for cleaning up : Absorb spilled material with sand or earth.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated

conditions of normal use.

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Contaminated work clothing

should not be allowed out of the workplace. Keep only in original container. Do not handle until all safety precautions have been read

and understood.

Hygiene measures : Take off immediately all contaminated clothing and wash it before

reuse. Do not eat, drink or smoke when using this product.



Product: LUBRAX ADVENTO 4x4 PLUS

SDS ID: 1021082 Revision date: 24/08/2023

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store locked up.

Storage conditions : Keep cool. Protect from sunlight.

Packaging materials : Store always product in container of same material as original

container.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Mineral oil, excluding metal working fluids Pure, highly and severely refined	
ACGIH OEL TWA	5 mg/m³ (I - Inhalable particulate matter)	
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2023	

### Exposure limit for mists/aerosols that may form while using this product:

Name	Mineral oil, excluding metal working fluids - pure, highly and severely refined
TWA - (ACGIH, 2023)	5 mg/m <sup>3</sup>

### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

### 8.3. Personal protective equipment

### Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:	
Nitrile rubber gloves	



Product: LUBRAX ADVENTO 4x4 PLUS

SDS ID: 1021082 Revision date: 24/08/2023

### Eye protection:

Wear security glasses which protect from splashes

### Skin and body protection:

Chemical resistant safety shoes. Long sleeved protective clothing. Chemical resistant apron

### Respiratory protection:

No respiratory protection needed under normal use conditions

### Personal protective equipment symbol(s):









## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear Liquid.
Colour : light brown

Odour : Typical of lubricant oil

Odour threshold : Not available
pH : Not available
Melting point : Not available
Freezing point : Not available
Boiling point : Not available
Flash point : 226 °C (COC)
Relative evaporation rate : Not available

(butylacetate=1)

Flammability : Not available
Explosive limits : Not available
Vapour pressure : Not available
Relative vapour density at 20°C : Not available
Relative density : 0,8706 (20/4°C)
Solubility : Not available



Product: LUBRAX ADVENTO 4x4 PLUS

SDS ID: 1021082 Revision date: 24/08/2023

Partition coefficient n-octanol/water

(Log Kow)

: Not available

Auto-ignition temperature : Not available
Decomposition temperature : Not available

Kinematic Viscosity (40°C) : 82 cSt

Viscosity, dynamic : Not available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

Chemical stability : Stable under normal conditions of use.

Conditions to avoid : Extremely high or low temperatures. Keep away from heat, hot

: None under normal use.

surfaces, sparks, open flames and other ignition sources. No smoking. : No hazardous decomposition products known at room temperature.

: The product is non-reactive under normal conditions of use, storage and

Hazardous decomposition products

Incompatible materials

: Consult supplier(s) of these materials for specific recommendations.

Possibility of hazardous reactions

Reactivity

transport.

Handling temperature : No additional information available

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not available
Acute toxicity (dermal) : Not available
Acute toxicity (inhalation) : Not available

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401	
	(Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral	
	Toxicity - Fixed Dose Method)	

### Phenol, dodecyl-, branched (74499-35-7)

LD50 dermal rabbit > 2000 mg/kg

Skin corrosion/irritation : Not available
Serious eye damage/irritation : Not available

Respiratory or skin sensitisation : May cause an allergic skin reaction.



Product: LUBRAX ADVENTO 4x4 PLUS

SDS ID: 1021082 Revision date: 24/08/2023

Germ cell mutagenicity : Not available

Carcinogenicity : Not classified (The mineral oils present in the product are highly

refined and contain <3% DMSO extract (IP 346).)

Reproductive toxicity : Not available STOT-single exposure : Not available

STOT-repeated exposure : Not available

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD

Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Aspiration hazard : Not available

Other information : This mixture does not contain carcinogenic ingredients. The mineral oils

present in the product are highly refined and contain <3% DMSO extract

(IP 346).

**LUBRAX ADVENTO 4x4 PLUS** 

Kinematic Viscosity (40°C) 82 mm<sup>2</sup>/s

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Kinematic Viscosity (40°C) 1,99 - 847 mm<sup>2</sup>/s Temp.: '40°C' Parameter: 'mm<sup>2</sup>/smm2/s '

### 11.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause an allergic skin reaction.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known

to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Cracking of the skin. Prolonged or repeated contact may cause skin to

become dry.

Symptoms/effects after eye contact : None under normal conditions. Symptoms/effects after ingestion : None under normal conditions.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, : Not available

short-term (acute)



Product: LUBRAX ADVENTO 4x4 PLUS

SDS ID: 1021082 Revision date: 24/08/2023

Hazardous to the aquatic environment,

long-term (chronic)

: Not available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Hazardous to the ozone layer : Not available

## **SECTION 13: Disposal considerations**

Regional legislation (waste) : Law No. 12.305 on the National Policy on Solid Waste Management, 02

: Disposal must be done according to official regulations.

August 2010.

Waste treatment methods : Must follow special treatment according to local regulation. : Disposal must be done according to official regulations.

Sewage disposal recommendations

Product/Packaging disposal

recommendations

Additional information : Do not re-use empty containers.

## **SECTION 14: Transport information**

### 14.1 National and international Regulations

Not classified as dangerous for transport in the different modes, but may be harmful in the event of an accident. For further information, please consult Section 2 in this MSDS.

### 14.2 Other information

No additional information available



Product: LUBRAX ADVENTO 4x4 PLUS

SDS ID: 1021082 Revision date: 24/08/2023

### **SECTION 15: Regulatory information**

### 15.1. National regulations

Brazil Local Regulations : Norma ABNT NBR 14725.

Decreto Federal nº 2.657, de 3 de julho de 1998 - Promulga a Convenção nº 170 da OIT, relativa à Segurança na Utilização de

Produtos Químicos no Trabalho, assinada em Genebra, em 25 de junho

de 1990.

Portaria nº 229, de 24 de maio de 2011 - Altera a Norma

Regulamentadora nº 27

Federal Decree no. 96.044, of 18 May 1988 - Approves Regulations for

Road Transportation of Hazardous Materials

Resolution no. 5998, of 03 November 2022, updates the regulation for

road transport of dangerous goods, approves its Complementary

Instructions, and other measures.

### **SECTION 16: Other information**

### No additional information available

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.