

SDS ID: 1021082

Revision date: 23/05/2025

# SECTION 1: Identification

1.1. GHS Product identifier	
Product form Product name Product code Product group	: Mixture : LUBRAX ADVENTO 4x4 PLUS : 1021082 : Produtos comerciais
1.2. Other means of identification	
No additional information available	
1.3. Recommended use of the chen	nical and restrictions on use
Recommended use	: Lubricant oil.
1.4. Supplier's details	
Name of company	: Vibra Energia S.A.
Address	: Rua Correia Vasques, 250
	Rio de Janeiro
	Brasil
	20.211-140
SAC	: 4090 1337 ou 0800 770 1337 (capitals, metropolitan regions or other regions)
Emergency telephone number	: 0800 024 44 33
1.5. Emergency phone number	
Emergency number	: 0800 024 44 33 CAE (Emergency Support Center), for leaks, spills and other accidents that require emergency support.

# SECTION 2: Hazard identification

2.1. Classification of the substance or mixture
Classification according to GHS BR (ABNT NBR 14725: 2023)
Skin sensitisation, Category 1
Hazardous to the aquatic environment - Acute Hazard, Category 3
Hazardous to the aquatic environment - Chronic Hazard, Category 3



SDS ID: 1021082

Revision date: 23/05/2025

#### 2.2. GHS Label elements, including precautionary statements

:

#### GHS BR labelling

Hazard pictograms (GHS BR)

Signal word (GHS BR)	: Warning
Hazard statements (GHS BR)	: H317 - May cause an allergic skin reaction
	H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS BR)	
Prevention	: P261 - Avoid breathing dust, fume, gas, mist, vapours or spray.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves, protective clothing, eye protection, face protection and hearing protection.
Response	: P302+P352 - IF ON SKIN: Wash with plenty of water.
	P321 - Specific treatment (see supplemental first aid instruction on this label).
	P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
Disposal	: P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and
	international regulations.

#### 2.3. Other hazards which do not result in classification

No additional information available

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	GHS Product identifier	%	Classification according to GHS BR (ABNT NBR 14725: 2023)
Polyolefin polyamine succinimide	CAS-No.: Confidencial	0,5 - 2	Skin Sens. 1, H317
degraded alkylphenol, ester	CAS-No.: Confidencial	0,5 - 2	Aquatic Chronic 4, H413



#### SDS ID: 1021082

## Revision date: 23/05/2025

Name	GHS Product identifier	%	Classification according to GHS BR (ABNT NBR 14725: 2023)
Phenol, dodecyl-, branched	CAS-No.: 74499-35-7	< 0,3	Skin Corr. 1C, H314 Repr. 1B, H360 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

#### Comments

: The mineral oils present in the product are highly refined and contain <3% DMSO extract (IP 346).

# **SECTION 4: First-aid measures**

## 4.1. Description of necessary first-aid measures

First-aid measures general	: People with over sensibility problems are not allowed to work or be exposed to the product.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.		
First-aid measures after eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.		
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth out with water.		
4.2. Most important symptoms and effects, acute and delayed			
Symptoms/effects	: May cause an allergic skin reaction.		
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known		
	to exist, this material is expected to be an inhalation hazard.		
Symptoms/effects after skin contact			
Symptoms/effects after skin contact Symptoms/effects after eye contact	to exist, this material is expected to be an inhalation hazard. : Cracking of the skin. Prolonged or repeated contact may cause skin to		
	<ul><li>to exist, this material is expected to be an inhalation hazard.</li><li>Cracking of the skin. Prolonged or repeated contact may cause skin to become dry.</li></ul>		

#### 4.3. Indication of any immediate medical attention and special treatment needed, if necessary

Notes to physician

: Treat symptomatically

# SECTION 5: Fire-fighting measures

# 5.1. Suitable extinguishing media: Water spray. dry chemical powder, foam for use in hydrocarbons,<br/>carbon dioxide (CO2).Unsuitable extinguishing media: Do not use a heavy water stream.



SDS ID: 1021082

Revision date: 23/05/2025

5.2. Specific hazards arising from the chemical			
Fire hazard Explosion hazard	<ul><li>In case of fire and/or explosion do not breathe fumes.</li><li>No direct explosion hazard.</li></ul>		
5.3. Special protective actions for fire-fighters			
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Do not enter fire area without proper protective equipment, including respiratory protection.		
Protection during firefighting	: Wear recommended personal protective equipment.		

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

s,
is, ig to
,
t

#### 6.2. Environmental precautions

Harmful to aquatic life with long lasting effects. Do not allow product to spread into the environment. Do not allow to enter drains or water courses. Harmful to aquatic life. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and materials for containment and cleaning up

For containment

: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.



#### SDS ID: 1021082

Methods for cleaning up

: Absorb spilled material with sand or earth. Take up liquid spill into absorbent material.

Revision date: 23/05/2025

# SECTION 7: Handling and storage

7.1. Precautions for safe handling			
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.		
Precautions for safe handling	: Do not get in eyes, on skin, or on clothing. Contaminated work clothing should not be allowed out of the workplace. Ensure good ventilation of the work station. Wear personal protective equipment. Keep only in original container. Do not handle until all safety precautions have been read and understood.		
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Store locked up. Store in tightly closed, leak-proof containers.		
Storage conditions	: Keep cool. Protect from sunlight. Store in a well-ventilated place. Keep cool.		
Packaging materials	: Store always product in container of same material as original container.		

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Exposure limit for mists/aerosols that may form while using this product:

Name	Mineral oil, excluding metal working fluids - pure, highly and severely refined
TWA - (ACGIH, 2024)	5 mg/m <sup>3</sup>

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

#### 8.3. Individual protection measures

#### Personal protective equipment:

Wear recommended personal protective equipment.



## SDS ID: 1021082

Revision date: 23/05/2025

#### Hand protection:

Nitrile rubber gloves

#### Eye protection:

Wear security glasses which protect from splashes

#### Skin and body protection:

Chemical resistant safety shoes. Long sleeved protective clothing. Chemical resistant apron

#### **Respiratory protection:**

No respiratory protection needed under normal use conditions

#### Personal protective equipment symbol(s):



# SECTION 9: Physical and chemical properties

#### 9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear Liquid.
Colour	: light brown
Odour	: Typical of lubricant oil
Odour threshold	: Not available
рН	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flash point	: 226 °C (COC)
Relative evaporation rate	: Not available
(butylacetate=1)	
Flammability	: Not available
Explosive limits	: Not available
Vapour pressure	: Not available
Relative vapour density at 20°C	: Not available
Relative density	: 0,8706 (20/4°C)
Density	: Not available
Solubility	: Not available



## SDS ID: 1021082

Partition coefficient n-octanol/water	: Not available
(Log Kow)	
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Kinematic Viscosity (40°C)	: 82 cSt
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle specific surface area	: Not applicable

## 9.2. Data relevant with regard to physical hazard classes

No additional information available

#### 9.3. Further safety characteristics

No additional information available

# SECTION 10: Stability and reactivity

Chemical stability Conditions to avoid	<ul> <li>Stable under normal conditions of use.</li> <li>Extremely high or low temperatures. Keep away from heat, hot</li> </ul>
Hazardous decomposition products	surfaces, sparks, open flames and other ignition sources. No smoking. : No hazardous decomposition products known at room temperature.
Incompatible materials	: Consult supplier(s) of these materials for specific recommendations.
Possibility of hazardous reactions	: None under normal use.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Handling temperature	: No additional information available

# SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	:	Not available
Acute toxicity (dermal)	:	Not available
Acute toxicity (inhalation)	:	Not available

Phenol, dodecyl-, branched (74499-35-7)	
LD50 dermal rabbit	> 2000 mg/kg
Skin corrosion/irritation	Not available
Serious eye damage/irritation	Not available

Revision date: 23/05/2025



#### SDS ID: 1021082

Revision date: 23/05/2025

Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not available
Carcinogenicity	: Not classified
Reproductive toxicity STOT-single exposure	: Not available : Not available
STOT-repeated exposure	: Not available
Aspiration hazard Other information	<ul> <li>Not available</li> <li>This mixture does not contain carcinogenic ingredients. The mineral oils present in the product are highly refined and contain &lt;3% DMSO extract (IP 346).</li> </ul>

LUBRAX ADVENTO 4x4 PLUS	
Kinematic Viscosity (40°C)	82 mm <sup>2</sup> /s

#### 11.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects Symptoms/effects after inhalation	<ul> <li>May cause an allergic skin reaction.</li> <li>Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.</li> </ul>
Symptoms/effects after skin contact	<ul> <li>Cracking of the skin. Prolonged or repeated contact may cause skin to become dry.</li> </ul>
Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul><li>None under normal conditions.</li><li>None under normal conditions.</li></ul>

# SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, : Harmful to aquatic life.
short-term (acute)
Hazardous to the aquatic environment, : Harmful to aquatic life with long lasting effects.
long-term (chronic)

Phenol, dodecyl-, branched (74499-35-7)	
LC50 - Fish [1]	0,146 mg/l Source: ECOSAR
EC50 96h - Algae [1]	0,6 mg/l Source: ECOSAR



#### SDS ID: 1021082

#### Revision date: 23/05/2025

#### 12.2. Persistence and degradability

LUBRAX ADVENTO 4x4 PLUS	
Persistence and degradability Rapidly degradable	
12.2 Piezecumulative notential	
12.3. Bioaccumulative potential	
•	
Bioaccumulative potential itional information available	

# 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

:

# SECTION 13: Disposal considerations

Regional waste regulation	: Law No. 12.305 on the National Policy on Solid Waste Management, 02 August 2010.
Waste treatment methods	: Must follow special treatment according to local regulation.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal	: Disposal must be done according to official regulations.
recommendations	
Additional information	: Do not re-use empty containers.

Not available

# SECTION 14: Transport information

In accordance with IMDG / IATA / ANTT

#### 14.1 National and international Regulations

#### Overland transport

Proper Shipping Name (ANTT)	: Not applicable
Dangerous for the environment	: No
Transport by sea	
UN-No. (IMDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Class (IMDG)	: Not applicable
Subsidiary hazard (IMDG)	: Not applicable
Packing group (IMDG)	: Not applicable
EmS-No. (Fire)	: Not applicable
EmS-No. (Spillage)	: Not applicable
Special provisions (IMDG)	: Not applicable



## SDS ID: 1021082

Air transportUN-No. (IATA): Not applicableProper Shipping Name (IATA): Not applicableClass (IATA): Not applicableSubsidiary hazards (IATA): Not applicablePacking group (IATA): Not applicableSpecial provisions (IATA): Not applicable

#### 14.2 Other informations

No additional information available

# SECTION 15: Regulatory information

#### 15.1. National regulations

Federal Conven Chemic Brazil. Ministe wording Federal Road Tr Resolut road tr	ABNT NBR 14725. Decree no. 10.088, of 5 November 2019 - Promulgates tion no. 170 of the WLO, relating to Safety in the Use of als in the Workplace, ratified by the Federative Republic of rial Order no. 2.770, of 5 September 2022 - Approves the new g of Regulatory Standard No. 26 Decree no. 96.044, of 18 May 1988 - Approves Regulations for ransportation of Hazardous Materials ion no. 5998, of 03 November 2022, updates the regulation for ansport of dangerous goods, approves its Complementary tions, and other measures.
--	---

# SECTION 16: Other information

#### No additional information available

Safety Data Sheet (SDS), Brazil

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Revision date: 23/05/2025