

Product: LUBRAX FLUIDO PARA FREIOS

SDS ID: 1001916

Revision date: 25/08/2023

SECTION 1: Identification of Product and Company**1.1. Product identifier**

Product name : LUBRAX FLUIDO PARA FREIOS
Product code : 1001916
Recommended use : Automotive Brake Fluid

1.2. Company identification

Name of company : Vibra Energia S.A.
Address : Rua Correia Vasques, 250
Rio de Janeiro
Brasil
20.211-140

SAC : 4090 1337 (capitais ou regiões metropolitanas) ou 0800 770 1337
(demais regiões)

Emergency telephone number : 0800 024 44 33 - CAE (Central de apoio a emergências), para vazamentos, derramamentos e outros acidentes que necessitem de suporte emergencial.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to GHS BR (ABNT NBR 14725)**

Acute toxicity (oral), Category 4
Acute toxicity (dermal), Category 5
Skin corrosion/irritation, Category 3
Serious eye damage/eye irritation, Category 2
Specific target organ toxicity - Repeated exposure, Category 2

2.2. Label elements**GHS BR labelling**

Hazard pictograms (GHS BR)



Signal word (GHS BR)

: Warning

Hazard statements (GHS BR)

: H302 - Harmful if swallowed.
H313 - May be harmful in contact with skin
H316 - Causes mild skin irritation
H319 - Causes serious eye irritation.

Product: LUBRAX FLUIDO PARA FREIOS

SDS ID: 1001916

Revision date: 25/08/2023

Precautionary statements (GHS BR)

Prevention

H373 - May cause damage to organs through prolonged or repeated exposure.

- : P260 - Do not breathe mist and vapours.
- P264 - Wash the exposed areas thoroughly after handling.
- P270 - Do not eat, drink or smoke when using this product.
- P280 - Wear protective gloves, protective clothing and eye protection.
- : P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 - Call a POISON CENTER or doctor if you feel unwell.
- P314 - Get medical advice/attention if you feel unwell.
- P330 - Rinse mouth.
- P332+P313 - If skin irritation occurs: Get medical advice/attention.
- P337+P313 - If eye irritation persists: Get medical advice/attention.
- : P501 - Dispose of contents and container in accordance with local regulations.

Resposta a Emergência

Disposição

2.3. Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to GHS BR (ABNT NBR 14725) |
|--|----------------------|--------|---|
| 2-(2-butoxyethoxy)ethanol | CAS-No.: 112-34-5 | 5 - 50 | Acute Tox. 5 (Dermal), H313 Eye Irrit. 2A, H319 |
| 2,2'-oxydiethanol | CAS-No.: 111-46-6 | < 20 | Acute Tox. 4 (Oral), H302 STOT RE 2, H373 |
| Poli(oxi-1,2-etanolil), alfa-(4-nonilfenil)-omega-hidroxi-, ramificado | CAS-No.: 127087-87-0 | < 10 | Not classified |

Product: LUBRAX FLUIDO PARA FREIOS

SDS ID: 1001916

Revision date: 25/08/2023

SECTION 4: First aid measures**4.1. Description of first aid measures**

| | |
|---------------------------------------|---|
| First-aid measures general | : Seek medical attention immediately. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Be careful, the product may remain trapped under clothing, footwear or a wrist-watch. |
| First-aid measures after eye contact | : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| First-aid measures after ingestion | : If swallowed, seek medical advice immediately and show this container or label. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects | : May cause damage to organs through prolonged or repeated exposure. Swallowing a small quantity of this material presents some health hazard. May be harmful in contact with skin. |
| Symptoms/effects after inhalation | : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing. |
| Symptoms/effects after skin contact | : May be harmful in contact with skin. Causes mild skin irritation. Itching. |
| Symptoms/effects after eye contact | : May cause eye irritation. |
| Symptoms/effects after ingestion | : Harmful if swallowed. Ingestion may cause nausea and vomiting. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|--------------------|-------------------------|
| Notes to physician | : Treat symptomatically |
|--------------------|-------------------------|

SECTION 5: Firefighting measures**5.1. Extinguishing media**

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray. dry chemical powder, foam for use in hydrocarbons, carbon dioxide (CO ₂). |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

| | |
|------------------|--|
| Fire hazard | : In case of fire and/or explosion do not breathe fumes. |
| Explosion hazard | : No direct explosion hazard. |

Product: LUBRAX FLUIDO PARA FREIOS

SDS ID: 1001916

Revision date: 25/08/2023

5.3. Advice for firefighters

- | | |
|--------------------------------|--|
| Firefighting instructions | : Fight fire with normal precautions from a reasonable distance. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Use self-contained breathing apparatus and chemically protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|---|
| General measures | : Avoid contact with skin and eyes. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. |
|------------------|---|

6.1.1. For non-emergency personnel

- | | |
|----------------------|---|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Evacuate area. Only qualified personnel equipped with suitable protective equipment may intervene. Notify fire brigade and environmental authorities. |

6.1.2. For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Self-contained breathing apparatus. Equip cleanup crew with proper protection. |
| Emergency procedures | : Evacuate unnecessary personnel. Stop leak if safe to do so. |

6.2. Environmental precautions

Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|---|
| For containment | : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. |
| Methods for cleaning up | : Clean contaminated surfaces with an excess of water. Absorb spillage to prevent material damage. |

Product: LUBRAX FLUIDO PARA FREIOS

SDS ID: 1001916

Revision date: 25/08/2023

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

| | |
|-----------------------------------|--|
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Precautions for safe handling | : Do not eat, drink or smoke when using this product. Keep only in original container. Do not handle until all safety precautions have been read and understood. |
| Hygiene measures | : Always wash hands after handling the product. Remove contaminated clothes. Do not eat, drink or smoke when using this product. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|---------------------|---|
| Technical measures | : Store locked up. |
| Storage conditions | : Keep cool. Protect from sunlight. |
| Packaging materials | : Store always product in container of same material as original container. |

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

| | |
|--|---|
| 2-(2-butoxyethoxy)ethanol (112-34-5) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Dietilenoglicol monobutil éter (112-34-5) |
| ACGIH OEL TWA [ppm] | 10 ppm |

Exposure limit for mists/aerosols that may form while using this product:**8.2. Exposure controls**

| | |
|----------------------------------|--|
| Appropriate engineering controls | : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
|----------------------------------|--|

8.3. Personal protective equipment

Personal protective equipment:
Wear recommended personal protective equipment.

Product: LUBRAX FLUIDO PARA FREIOS**SDS ID: 1001916****Revision date: 25/08/2023****Hand protection:**

Protective gloves

Eye protection:

Wear security glasses which protect from splashes

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Personal protective equipment symbol(s):**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

| | |
|---|---------------------------|
| Physical state | : Liquid |
| Appearance | : Liquid. |
| Colour | : light blue |
| Odour | : Characteristic of Ether |
| Odour threshold | : Not available |
| pH | : 7 - 11,5 |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : ≥ 230 °C |
| Flash point | : 110 °C |
| Relative evaporation rate (butylacetate=1) | : Not available |
| Flammability | : Not available |
| Explosive limits | : Not available |
| Vapour pressure | : Not available |

Product: LUBRAX FLUIDO PARA FREIOS

SDS ID: 1001916

Revision date: 25/08/2023

| | |
|---|------------------------|
| Relative vapour density at 20°C | : Not available |
| Relative density | : 1,03 - 1,05 (20/4°C) |
| Solubility | : Water: |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| Kinematic Viscosity (40°C) | : Not available |
| Viscosity, dynamic | : Not available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

| | |
|------------------------------------|--|
| Chemical stability | : Stable under normal conditions of use. |
| Conditions to avoid | : Extremely high or low temperatures. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| Hazardous decomposition products | : No hazardous decomposition products known at room temperature. |
| Incompatible materials | : Oxidizing agent. |
| Possibility of hazardous reactions | : None under normal use. |
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport. |
| Handling temperature | : No additional information available |

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

| | |
|-----------------------------|--|
| Acute toxicity (oral) | : Harmful if swallowed. |
| Acute toxicity (dermal) | : May be harmful in contact with skin. |
| Acute toxicity (inhalation) | : Not available |

| LUBRAX FLUIDO PARA FREIOS | |
|------------------------------|-----------------------|
| ATE BR (oral) | 500 mg/kg bodyweight |
| ATE BR (dermal) | 2500 mg/kg bodyweight |
| 2,2'-oxydiethanol (111-46-6) | |
| LD50 dermal rabbit | 11890 mg/kg |

Product: LUBRAX FLUIDO PARA FREIOS**SDS ID: 1001916****Revision date: 25/08/2023**

| | |
|---|------------------------|
| 2,2'-oxydiethanol (111-46-6) | |
| ATE BR (oral) | 500 mg/kg bodyweight |
| ATE BR (dermal) | 11890 mg/kg bodyweight |
| 2-(2-butoxyethoxy)ethanol (112-34-5) | |
| LD50 dermal rabbit | 2764 mg/kg |
| ATE BR (dermal) | 2764 mg/kg bodyweight |

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Causes mild skin irritation. pH: 7 - 11,5 |
| Serious eye damage/irritation | : Causes serious eye irritation. pH: 7 - 11,5 |
| Respiratory or skin sensitisation | : Not available |
| Germ cell mutagenicity | : Not available |
| Carcinogenicity | : Not available |
| Reproductive toxicity | : Not available |
| STOT-single exposure | : Not available |
| STOT-repeated exposure | : May cause damage to organs through prolonged or repeated exposure. |

| | |
|-------------------------------------|--|
| 2,2'-oxydiethanol (111-46-6) | |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |

| | |
|-------------------|-----------------|
| Aspiration hazard | : Not available |
|-------------------|-----------------|

11.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects | : May cause damage to organs through prolonged or repeated exposure. Swallowing a small quantity of this material presents some health hazard. May be harmful in contact with skin. |
| Symptoms/effects after inhalation | : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing. |
| Symptoms/effects after skin contact | : May be harmful in contact with skin. Causes mild skin irritation. Itching. |
| Symptoms/effects after eye contact | : May cause eye irritation. |
| Symptoms/effects after ingestion | : Harmful if swallowed. Ingestion may cause nausea and vomiting. |

Product: LUBRAX FLUIDO PARA FREIOS

SDS ID: 1001916

Revision date: 25/08/2023

SECTION 12: Ecological information**12.1. Toxicity**

Hazardous to the aquatic environment, short-term (acute) : Not available

Hazardous to the aquatic environment, long-term (chronic) : Not available

2,2'-oxydiethanol (111-46-6)

LC50 - Fish [1] > 500000 ppm

2-(2-butoxyethoxy)ethanol (112-34-5)

LC50 - Fish [1] 1300 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Hazardous to the ozone layer : Not available

SECTION 13: Disposal considerations

Regional legislation (waste) : Law No. 12.305 on the National Policy on Solid Waste Management, 02 August 2010.

Waste treatment methods : Must follow special treatment according to local regulation.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

Product: LUBRAX FLUIDO PARA FREIOS

SDS ID: 1001916

Revision date: 25/08/2023

14.1 National and international Regulations

Not classified as dangerous for transport in the different modes, but may be harmful in the event of an accident. For further information, please consult Section 2 in this MSDS.

14.2 Other information

No additional information available

SECTION 15: Regulatory information

15.1. National regulations

Brazil Local Regulations

: Norma ABNT NBR 14725.

Decreto Federal nº 2.657, de 3 de julho de 1998 - Promulga a Convenção nº 170 da OIT, relativa à Segurança na Utilização de Produtos Químicos no Trabalho, assinada em Genebra, em 25 de junho de 1990.

Portaria nº 229, de 24 de maio de 2011 - Altera a Norma Regulamentadora nº 27

Federal Decree no. 96.044, of 18 May 1988 - Approves Regulations for Road Transportation of Hazardous Materials

Resolution no. 5998, of November 3, 2022, updates the regulation for road transport of dangerous goods, approves its Complementary Instructions, and other measures.

SECTION 16: Other information

No additional information available

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.